Developmental Brain Research, 37 (1987) 318–319
Elsevier

Author Index

Ahmed, Z. and Fellows, R.E., Determination of the birth date and proliferative state of dissociated cells from fetal rat brain, 77
Aoki, C., see Shaw, C., 67
Arvidsson, U., Svedlund, J., Lagerbäck, P.-Å. and Cullheim, S., An ultrastructural study of the synaptology of γ-motoneurones during the postnatal development in the cat, 303

Baker, S.P., see Gonzales, R.A., 59
Benjelloun-Touimi, S., see Bitner, C., 167
Bero, L.A., Lurie, S.N. and Kuhn, C.M., Early ontogeny of κ-opioid receptor regulation of prolactin secretion in the rat, 189
Bitner, C., Benjelloun-Touimi, S. and Dupouey, P., Palisading pattern of subpial astroglial processes in the adult rodent brain: relationship between the glial palisading pattern and the axonal and astroglial organization, 167
Bodega, G., see Suarez, I., 89
Bohn, M.C., Dreyfus, C.F., Friedman, W.J. and Markey, K.A., Glucocorticoid effects on phenylethanolamine *N*-methyltransferase (PNMT) in explants of embryonic rat medulla oblongata, 257
Bolden, C., see Gonzales, R.A., 59
Bortolotto, Z.A., see Cavalheiro, E.A., 43
Bradley, P.M. and Galal, K.M., The effects of protein synthesis inhibition on structural changes associated with learning in the chick, 267
Burgoyne, R.D., see Cambray-Deakin, M.A., 197

Calderazzo-Filho, L.S., see Cavalheiro, E.A, 43
Cambray-Deakin, M.A., Morgan, A. and Burgoyne, R.D., Sequential appearance of cytoskeletal components during the early stages of neurite outgrowth from cerebellar granule cells in vitro, 197
Campenot, R.B., Local control of neurite sprouting in cultured sympathetic neurons by nerve growth factor, 293
Cavalheiro, E.A., Silva, D.F., Turski, W.A., Calderazzo-Filho, L.S., Bortolotto, Z.A. and Turski, L., The susceptibility of rats to pilocarpine-induced seizures is age-dependent, 43
Chalupa, L.M., see Hendry, S.H.C., 312
Changeux, J.-P., see Taguchi, T., 125
Chantler, P.D., see Cunningham, T.J., 133
Cocchia, D., see Lauriola, L., 251
Coli, A., see Lauriola, L., 251
Crews, F.T., see Gonzales, R.A., 59
Cullheim, S., see Arvidsson, U., 303
Cunningham, T.J., Haun, F. and Chantler, P.D., Diffusible proteins prolong survival of dorsal lateral geniculate neurons following occipital cortex lesions in newborn rats, 133
Cynader, M., see Shaw, C., 67

Desiraju, T., see Rajanna, B., 97
Dreyfus, C.F., see Bohn, M.C., 257
Dupouey, P., see Bitner, C., 167

Escobar del Rey, F., see Ipiña, S.L., 219

Fellows, R.E., see Ahmed, Z., 77
Fernandez, B., see Suarez, I., 89
Friedman, W.J., see Bohn, M.C., 257
Frostholm, A. and Rotter, A., The ontogeny of [^{3}H]muscimol binding sites in the C57BL/6J mouse cerebellum, 157

Galal, K.M., see Bradley, P.M., 267
Ganz, N.I., see Gonzales, R.A., 59
Garcia-Segura, L.M., see Suarez, I., 89
Gasc, J.-M., see Guennoun, R., 1
Gonzales, R.A., Greger Jr., P.H., Baker, S.P., Ganz, N.I., Bolden, C., Raizada, M.K. and Crews, F.T., Phorbol esters inhibit agonist-stimulated phosphoinositide hydrolysis in neuronal primary cultures, 59
Greger Jr., P.H., see Gonzales, R.A., 59
Guennoun, R., Reyss-Brion, M. and Gasc, J.-M., Progesterone receptors in hypothalamus and pituitary during the embryonic development of the chick: regulation by sex steroid hormones, 1
Gustafson, E.L. and Moore, R.Y., Noradrenaline neuron plasticity in developing rat brain: effects of neonatal 6-hydroxydopamine demonstrated by dopamine-β-hydroxylase immunocytochemistry, 143

Haun, F., see Cunningham, T.J., 133
Henderson, C.E., see Taguchi, T., 125
Hendry, S.H.C., Jones, E.G., Killackey, H.P. and Chalupa, L.M., Choline acetyltransferase-immunoreactive neurons in fetal monkey cerebral cortex, 312
Huchet, M., see Taguchi, T., 125
Hurlbut, D.E., see Kornblum, H.I., 21
Hyndman, A.G., see Zeevalk, G.D., 231

Ipiña, S.L., Ruiz-Marcos, A., Escobar del Rey, F. and Morreale de Escobar, G., Pyramidal cortical cell morphology studied by multivariate analysis: effects of neonatal thyroidectomy, ageing and thyroxine-substitution therapy, 219

Jones, E.G., see Hendry, S.H.C., 312

Killackey, H.P., see Hendry, S.H.C., 312
Kontro, P. and Oja, S.S., Taurine and GABA release from mouse cerebral cortex slices: potassium stimulation releases more taurine than GABA from developing brain, 277
Kornblum, H.I., Hurlbut, D.E. and Leslie, F.M., Postnatal development of multiple opioid receptors in rat brain, 21
Kuhn, C.M., see Bero, L.A., 189

Lagerbäck, P.-Å., see Arvidsson, U., 303
Lauriola, L., Coli, A, Cocchia, D., Tallini, G. and Michetti, F., Comparative study by S-100 and GFAP immunohistochemistry of glial cell populations in the early stages of human spinal cord development, 251
Leslie, F.M., see Kornblum, H.I., 21
Liu, L.-H.J., see O'Shea, K.S., 11
Lurie, S.N., see Bero, L.A., 189

Developmental Brain Research, 37 (1987) 318–319
Elsevier

Author Index

Ahmed, Z. and Fellows, R.E., Determination of the birth date and proliferative state of dissociated cells from fetal rat brain, 77
Aoki, C., see Shaw, C., 67
Arvidsson, U., Svedlund, J., Lagerbäck, P.-Å. and Cullheim, S., An ultrastructural study of the synaptology of γ-motoneurones during the postnatal development in the cat, 303

Baker, S.P., see Gonzales, R.A., 59
Benjelloun-Touimi, S., see Bitner, C., 167
Bero, L.A., Lurie, S.N. and Kuhn, C.M., Early ontogeny of κ-opioid receptor regulation of prolactin secretion in the rat, 189
Bitner, C., Benjelloun-Touimi, S. and Dupouey, P., Palisading pattern of subpial astroglial processes in the adult rodent brain: relationship between the glial palisading pattern and the axonal and astroglial organization, 167
Bodega, G., see Suarez, I., 89
Bohn, M.C., Dreyfus, C.F., Friedman, W.J. and Markey, K.A., Glucocorticoid effects on phenylethanolamine *N*-methyltransferase (PNMT) in explants of embryonic rat medulla oblongata, 257
Bolden, C., see Gonzales, R.A., 59
Bortolotto, Z.A., see Cavalheiro, E.A., 43
Bradley, P.M. and Galal, K.M., The effects of protein synthesis inhibition on structural changes associated with learning in the chick, 267
Burgoyne, R.D., see Cambray-Deakin, M.A., 197

Calderazzo-Filho, L.S., see Cavalheiro, E.A, 43
Cambray-Deakin, M.A., Morgan, A. and Burgoyne, R.D., Sequential appearance of cytoskeletal components during the early stages of neurite outgrowth from cerebellar granule cells in vitro, 197
Campenot, R.B., Local control of neurite sprouting in cultured sympathetic neurons by nerve growth factor, 293
Cavalheiro, E.A., Silva, D.F., Turski, W.A., Calderazzo-Filho, L.S., Bortolotto, Z.A. and Turski, L., The susceptibility of rats to pilocarpine-induced seizures is age-dependent, 43
Chalupa, L.M., see Hendry, S.H.C., 312
Changeux, J.-P., see Taguchi, T., 125
Chantler, P.D., see Cunningham, T.J., 133
Cocchia, D., see Lauriola, L., 251
Coli, A., see Lauriola, L., 251
Crews, F.T., see Gonzales, R.A., 59
Cullheim, S., see Arvidsson, U., 303
Cunningham, T.J., Haun, F. and Chantler, P.D., Diffusible proteins prolong survival of dorsal lateral geniculate neurons following occipital cortex lesions in newborn rats, 133
Cynader, M., see Shaw, C., 67

Desiraju, T., see Rajanna, B., 97
Dreyfus, C.F., see Bohn, M.C., 257
Dupouey, P., see Bitner, C., 167

Escobar del Rey, F., see Ipiña, S.L., 219

Fellows, R.E., see Ahmed, Z., 77
Fernandez, B., see Suarez, I., 89
Friedman, W.J., see Bohn, M.C., 257
Frostholm, A. and Rotter, A., The ontogeny of [^{3}H]muscimol binding sites in the C57BL/6J mouse cerebellum, 157

Galal, K.M., see Bradley, P.M., 267
Ganz, N.I., see Gonzales, R.A., 59
Garcia-Segura, L.M., see Suarez, I., 89
Gasc, J.-M., see Guennoun, R., 1
Gonzales, R.A., Greger Jr., P.H., Baker, S.P., Ganz, N.I., Bolden, C., Raizada, M.K. and Crews, F.T., Phorbol esters inhibit agonist-stimulated phosphoinositide hydrolysis in neuronal primary cultures, 59
Greger Jr., P.H., see Gonzales, R.A., 59
Guennoun, R., Reyss-Brion, M. and Gasc, J.-M., Progesterone receptors in hypothalamus and pituitary during the embryonic development of the chick: regulation by sex steroid hormones, 1
Gustafson, E.L. and Moore, R.Y., Noradrenaline neuron plasticity in developing rat brain: effects of neonatal 6-hydroxydopamine demonstrated by dopamine-β-hydroxylase immunocytochemistry, 143

Haun, F., see Cunningham, T.J., 133
Henderson, C.E., see Taguchi, T., 125
Hendry, S.H.C., Jones, E.G., Killackey, H.P. and Chalupa, L.M., Choline acetyltransferase-immunoreactive neurons in fetal monkey cerebral cortex, 312
Huchet, M., see Taguchi, T., 125
Hurlbut, D.E., see Kornblum, H.I., 21
Hyndman, A.G., see Zeevalk, G.D., 231

Ipiña, S.L., Ruiz-Marcos, A., Escobar del Rey, F. and Morreale de Escobar, G., Pyramidal cortical cell morphology studied by multivariate analysis: effects of neonatal thyroidectomy, ageing and thyroxine-substitution therapy, 219

Jones, E.G., see Hendry, S.H.C., 312

Killackey, H.P., see Hendry, S.H.C., 312
Kontro, P. and Oja, S.S., Taurine and GABA release from mouse cerebral cortex slices: potassium stimulation releases more taurine than GABA from developing brain, 277
Kornblum, H.I., Hurlbut, D.E. and Leslie, F.M., Postnatal development of multiple opioid receptors in rat brain, 21
Kuhn, C.M., see Bero, L.A., 189

Lagerbäck, P.-Å., see Arvidsson, U., 303
Lauriola, L., Coli, A, Cocchia, D., Tallini, G. and Michetti, F., Comparative study by S-100 and GFAP immunohistochemistry of glial cell populations in the early stages of human spinal cord development, 251
Leslie, F.M., see Kornblum, H.I., 21
Liu, L.-H.J., see O'Shea, K.S., 11
Lurie, S.N., see Bero, L.A., 189

Markey, K.A., see Bohn, M.C., 257
Mascarenhas, C., see Rajanna, B., 97
Meyer, R.L., Intratectal targeting by optic fibers in goldfish under impulse blockade, 115
Michetti, F., see Lauriola, L., 251
Moore, R.Y., see Gustafson, E.L., 143
Morgan, A., see Cambray-Deakin, M.A., 197
Morreale de Escobar, G., see Ipiña, S.L., 219
Moshé, S.L., see Sperber, E.G., 243

Oja, S.S., see Kontro, P., 277
Olmos, G., see Suarez, I., 89
O'Shea, K.S. and Liu, L.-H.J., Basal lamina and extracellular matrix alterations in the caudal neural tube of the *delayed Splotch* embryo, 11

Prusky, G., see Shaw, C., 67
Puel, J.-L. and Uziel, A., Correlative development of cochlear action potential sensitivity, latency, and frequency selectivity, 179

Raizada, M.K., see Gonzales, R.A., 59
Rajanna, B., Mascarenhas, C. and Desiraju, T., Deviations in brain development due to calorie undernutrition and scope of their prevention by rehabilitation: alterations in the power spectra of the EEG of areas of the neocortex and limbic system, 97
Reyss-Brion, M., see Guennoun, R., 1
Roa, M., see Taguchi, T., 125
Rotter, A., see Frostholm, A., 157
Ruiz-Marcos, A., see Ipiña, S.L., 219

Shaw, C., Aoki, C., Wilkinson, M., Prusky, G. and Cynader, M., Benzodiazepine ([^{3}H]flunitrazepam) binding in cat visual cortex: ontogenesis of normal characteristics and the effects of dark rearing, 67
Silva, D.F., see Cavalheiro, E.A., 43
Sperber, E.F., Wong, B.Y., Wurpel, J.N.D. and Moshé, S.L., Nigral infusions of muscimol or bicuculline facilitate seizures in developing rats, 243
Suarez, I., Fernandez, B., Bodega, G., Tranque, P., Olmos, G. and Garcia-Segura, L.M., Postnatal development of glial fibrillary acidic protein immunoreactivity in the hamster arcuate nucleus, 89
Svedlund, J., see Arvidsson, U., 303

Taguchi, T., Huchet, M., Roa, M., Changeux, J.-P. and Henderson, C.E., A subpopulation of embryonic telencephalic neurons survive and develop in vitro response to factors derived from the periphery, 125
Tallini, G., see Lauriola, L., 251
Toga, A.W., The metabolic consequence of visual deprivation in the rat, 209
Tranque, P., see Suarez, I., 89
Turski, L., see Cavalheiro, E.A., 43
Turski, W.A., see Cavalheiro, E.A., 43

Uziel, A., see Puel, J.-L., 179

Wilkinson, M., see Shaw, C., 67
Wong, B.Y., see Sperber, E.F., 243
Wurpel, J.N.D., see Sperber, E.F., 243

Zeevalk, G.D. and Hyndman, A.G., Transferrin in chick retina: distribution and location during development, 231

DEVELOPMENTAL BRAIN RESEARCH

(BRAIN RESEARCH, VOL. 465 NO. 1/2)

VOL. 37 NOS. 1/2 **CONTENTS** **15 DECEMBER 1987**

Research Reports

Progesterone receptors in hypothalamus and pituitary during the embryonic development of the chick: regulation by sex steroid hormones (BRD 50630)
R. Guennoun, M. Reyss-Brion and J.-M. Gasc (France) 1

Basal lamina and extracellular matrix alterations in the caudal neural tube of the *delayed Splotch* embryo (BRD 50631)
K.S. O'Shea and L.-H.J. Liu (U.S.A.) 11

Postnatal development of multiple opioid receptors in rat brain (BRD 50632)
H.I. Kornblum, D.E. Hurlbut and F.M. Leslie (U.S.A.) 21

The susceptibility of rats to pilocarpine-induced seizures is age-dependent (BRD 50633)
E.A. Cavalheiro, D.F. Silva, W.A. Turski, L.S. Calderazzo-Filho, Z.A. Bortolotto and L. Turski (Brazil, Poland) 43

Phorbol esters inhibit agonist-stimulated phosphoinositide hydrolysis in neuronal primary cultures (BRD 50634)
R.A. Gonzales, P.H. Greger Jr., S.P. Baker, N.I. Ganz, C. Bolden, M.K. Raizada and F.T. Crews (U.S.A.) 59

Benzodiazepine ([^{3}H]flunitrazepam) binding in cat visual cortex: ontogenesis of normal characteristics and the effects of dark rearing (BRD 50635)
C. Shaw, C. Aoki, M. Wilkinson, G. Prusky and M. Cynader (Canada, U.S.A.) 67

Determination of the birth date and proliferative state of dissociated cells from fetal rat brain (BRD 50636)
Z. Ahmed and R.E. Fellows (U.S.A.) 77

Postnatal development of glial fibrillary acidic protein immunoreactivity in the hamster arcuate nucleus (BRD 50637)
I. Suarez, B. Fernandez, G. Bodega, P. Tranque, G. Olmos and L.M. Garcia-Segura (Spain) 89

Deviations in brain development due to calorie undernutrition and scope of their prevention by rehabilitation: alterations in the power spectra of the EEG of areas of the neocortex and limbic system (BRD 50638)
B. Rajanna, C. Mascarenhas and T. Desiraju (India) 97

Intratectal targeting by optic fibers in goldfish under impulse blockade (BRD 50639)
R.L. Meyer (U.S.A.) 115

A subpopulation of embryonic telencephalic neurons survive and develop in vitro in response to factors derived from the periphery (BRD 50640)
T. Taguchi, M. Huchet, M. Roa, J.-P. Changeux and C.E. Henderson (France) 125

Diffusible proteins prolong survival of dorsal lateral geniculate neurons following occipital cortex lesions in newborn rats (BRD 50641)
T.J. Cunningham, F. Haun and P.D. Chantler (U.S.A.) 133

Noradrenaline neuron plasticity in developing rat brain: effects of neonatal 6-hydroxydopamine demonstrated by dopamine-β-hydroxylase immunocytochemistry (BRD 50642)
E.L. Gustafson and R.Y. Moore (U.S.A.) 143

The ontogeny of [^{3}H]muscimol binding sites in the C57BL/6J mouse cerebellum (BRD 50643)
A. Frostholm and A. Rotter (U.S.A.) 157

Palisading pattern of subpial astroglial processes in the adult rodent brain: relationship between the glial palisading pattern and the axonal and astroglial organization (BRD 50644)
C. Bitner, S. Benjelloun-Touimi and P. Dupouey (France) 167

Correlative development of cochlear action potential sensitivity, latency, and frequency selectivity (BRD 50645)
J.-L. Puel and A. Uziel (France) 179

Early ontogeny of κ-opioid receptor regulation of prolactin secretion in the rat (BRD 50646)
L.A. Bero, S.N. Lurie and C.M. Kuhn (U.S.A.) 189

Sequential appearance of cytoskeletal components during the early stages of neurite outgrowth from cerebellar granule cells in vitro (BRD 50647)
M.A. Cambray-Deakin, A. Morgan and R.D. Burgoyne (U.K.) 197

The metabolic consequence of visual deprivation in the rat (BRD 50648)
A.W. Toga (U.S.A.) 209

(contents continued on p. 320)

Cited in Biological Abstracts (BIOSIS) — Chemical Abstracts — Index Medicus — Current Contents (Life Sciences) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

(contents continued)

Pyramidal cortical cell morphology studied by multivariate analysis: effects of neonatal thyroidectomy, ageing and thyroxine-substitution therapy (BRD 50649)
S.L. Ipiña, A. Ruiz-Marcos, F. Escobar Del Rey and G. Morreale de Escobar (Spain) 219

Transferrin in chick retina: distribution and location during development (BRD 50650)
G.D. Zeevalk and A.G. Hyndman (U.S.A.) 231

Nigral infusions of muscimol or bicuculline facilitate seizures in developing rats (BRD 50651)
E.F. Sperber, B.Y. Wong, J.N.D. Wurpel and S.L. Moshé (U.S.A) 243

Comparative study by S-100 and GFAP immunohistochemistry of glial cell populations in the early stages of human spinal cord development (BRD 50652)
L. Lauriola, A. Coli, D. Cocchia, G. Tallini and F. Michetti (Italy) 251

Glucocorticoid effects on phenylethanolamine *N*-methyltransferase (PNMT) in explants of embryonic rat medulla oblongata (BRD 50653)
M.C. Bohn, C.F. Dreyfus, W.J. Friedman and K.A. Markey (U.S.A.) 257

The effects of protein synthesis inhibition on structural changes associated with learning in the chick (BRD 50654)
P.M. Bradley and K.M. Galal (U.K., Sudan) 267

Taurine and GABA release from mouse cerebral cortex slices: potassium stimulation releases more taurine than GABA from developing brain (BRD 50655)
P. Kontro and S.S. Oja (Finland) 277

Local control of neurite sprouting in cultured sympathetic neurons by nerve growth factor (BRD 50656)
R.B. Campenot (U.S.A.) 293

An ultrastructural study of the synaptology of γ-motoneurones during the postnatal development in the cat (BRD 50664)
V. Arvidsson, J. Svedlund, P.-Å. Lagerbäck and S. Cullheim (Sweden) 303

Short Communications

Choline acetyltransferase-immunoreactive neurons in fetal monkey cerebral cortex (BRD 60241)
S.H.C. Hendry, E.G. Jones, H.P. Killackey and L.M. Chalupa (U.S.A.) 313

Author Index 318